ELSEVIER

Journal of the Autonomic Nervous System 68 (1998) 188–189

Journal of the
Autonomic
Nervous
System

Author Index

Akiyama, T., see Yahagi, N. (68) 43
Ando, M., see Terazaki, H. (68) 101
Ando, Y., see Terazaki, H. (68) 101
Armour, J.A., see Hopkins, D.A. (68) 21

Barturen, J.-M., see Schmid, A. (68) 96
Beightol, L.A., see Koh, J. (68) 89
Brown, T.E., see Koh, J. (68) 89
Butcher, J.W., see Paton, J.F.R. (68) 115

Coleman, H.A., see Holman, M.E. (68) 140

Eckberg, D.L., see Koh, J. (68) 89
Elam, M., see Thorén, A. (68) 157

Feliciano, L. and Henning, R.J.
Vagal nerve stimulation during muscarinic and beta-adrenergic blockade causes significant coronary artery dilation (68) 78

Gazelius, B., see Thorén, A. (68) 157
Gilbey, M.P., see Smith, J.E. (68) 109

Heim, M., see Schmid, A. (68) 96
Henning, R.J., see Feliciano, L. (68) 78
Holman, M.E., Tonta, M.A., Coleman, H.A. and Parkington, H.C.
Muscarinic receptor activation in guinea-pig chromaffin cells causes decreased membrane conductance and depolarization (68) 140
Hopkins, D.A. and Armour, J.A.
Brainstem cells of origin of physiologically identified cardiopulmonary nerves in the rhesus monkey (*Macaca mulatta*) (68) 21
Huonker, M., see Schmid, A. (68) 96

Imoto, A., Yoshida, M., Takahashi, N. and Ito, Y.
Possible role of cAMP, cGMP and $[Ca^{2+}]_i$ during NANC relaxation in the cat airway smooth muscle (68) 1
Ito, Y., see Imoto, A. (68) 1

Keul, J., see Schmid, A. (68) 96
Kitoh, J., see Won, M.H. (68) 171
Koh, J., Brown, T.E., Beightol, L.A. and Eckberg, D.L.
Contributions of tidal lung inflation to human R–R interval and arterial pressure fluctuations (68) 89
Komuro, T., see Seki, K. (68) 182
König, D., see Schmid, A. (68) 96
Kosaka, H., see Sugimoto, I. (68) 164
Krantis, A., Nichols, K. and Staines, W.
Neurochemical characterization and distribution of enteric GABAergic neurons and nerve fibres in the human colon (68) 33

Lambertz, M. and Langhorst, P.
Simultaneous changes of rhythmic organization in brainstem neurons, respiration, cardiovascular system and EEG between 0.05 Hz and 0.5 Hz (68) 58
Langhorst, P., see Lambertz, M. (68) 58
Lehmann, M., see Schmid, A. (68) 96
Lipfert, P., see Stevens, M.F. (68) 125
Lundin, S., see Thorén, A. (68) 157

Macefield, V.G., Taylor, J.L. and Wallin, B.G.
Inhibition of muscle sympathetic outflow following transcranial cortical stimulation (68) 49
Macefield, V.G.
Sustained activation of muscle sympathetic outflow during static lung inflation depends on a high intrathoracic pressure (68) 135
Mahns, D.A., Revington, M.L., Runcie, M.J., McCloskey, D.I. and Potter, E.K.
Inhibition of sympathetic cholinergic vasodilatation by a selective NPY Y_2 receptor agonist in the gracilis muscle of anaesthetised dogs (68) 14
Matsuo, K., see Won, M.H. (68) 171
McCloskey, D.I., see Mahns, D.A. (68) 14
Morita, H., see Sugimoto, I. (68) 164
Murakami, H., see Sugimoto, I. (68) 164

Nakamura, K., see Terazaki, H. (68) 101
Nakamura, M., see Terazaki, H. (68) 101
Nichols, K., see Krantis, A. (68) 33
Nishida, Y., see Sugimoto, I. (68) 164
Novotny, G.E.K., see Stevens, M.F. (68) 125

Obayashi, K., see Terazaki, H. (68) 101
Oh, Y.S., see Won, M.H. (68) 171

ELSEVIER

Journal of the Autonomic Nervous System 68 (1998) 188–189

Journal of the
Autonomic
Nervous
System

Author Index

Akiyama, T., see Yahagi, N. (68) 43
Ando, M., see Terazaki, H. (68) 101
Ando, Y., see Terazaki, H. (68) 101
Armour, J.A., see Hopkins, D.A. (68) 21

Barturen, J.-M., see Schmid, A. (68) 96
Beightol, L.A., see Koh, J. (68) 89
Brown, T.E., see Koh, J. (68) 89
Butcher, J.W., see Paton, J.F.R. (68) 115

Coleman, H.A., see Holman, M.E. (68) 140

Eckberg, D.L., see Koh, J. (68) 89
Elam, M., see Thorén, A. (68) 157

Feliciano, L. and Henning, R.J.
Vagal nerve stimulation during muscarinic and beta-adrenergic blockade causes significant coronary artery dilation (68) 78

Gazelius, B., see Thorén, A. (68) 157
Gilbey, M.P., see Smith, J.E. (68) 109

Heim, M., see Schmid, A. (68) 96
Henning, R.J., see Feliciano, L. (68) 78
Holman, M.E., Tonta, M.A., Coleman, H.A. and Parkington, H.C.
Muscarinic receptor activation in guinea-pig chromaffin cells causes decreased membrane conductance and depolarization (68) 140
Hopkins, D.A. and Armour, J.A.
Brainstem cells of origin of physiologically identified cardiopulmonary nerves in the rhesus monkey (*Macaca mulatta*) (68) 21
Huonker, M., see Schmid, A. (68) 96

Imoto, A., Yoshida, M., Takahashi, N. and Ito, Y.
Possible role of cAMP, cGMP and $[Ca^{2+}]_i$ during NANC relaxation in the cat airway smooth muscle (68) 1
Ito, Y., see Imoto, A. (68) 1

Keul, J., see Schmid, A. (68) 96
Kitoh, J., see Won, M.H. (68) 171
Koh, J., Brown, T.E., Beightol, L.A. and Eckberg, D.L.
Contributions of tidal lung inflation to human R–R interval and arterial pressure fluctuations (68) 89
Komuro, T., see Seki, K. (68) 182
König, D., see Schmid, A. (68) 96
Kosaka, H., see Sugimoto, I. (68) 164
Krantis, A., Nichols, K. and Staines, W.
Neurochemical characterization and distribution of enteric GABAergic neurons and nerve fibres in the human colon (68) 33

Lambertz, M. and Langhorst, P.
Simultaneous changes of rhythmic organization in brainstem neurons, respiration, cardiovascular system and EEG between 0.05 Hz and 0.5 Hz (68) 58
Langhorst, P., see Lambertz, M. (68) 58
Lehmann, M., see Schmid, A. (68) 96
Lipfert, P., see Stevens, M.F. (68) 125
Lundin, S., see Thorén, A. (68) 157

Macefield, V.G., Taylor, J.L. and Wallin, B.G.
Inhibition of muscle sympathetic outflow following transcranial cortical stimulation (68) 49
Macefield, V.G.
Sustained activation of muscle sympathetic outflow during static lung inflation depends on a high intrathoracic pressure (68) 135
Mahns, D.A., Revington, M.L., Runcie, M.J., McCloskey, D.I. and Potter, E.K.
Inhibition of sympathetic cholinergic vasodilatation by a selective NPY Y_2 receptor agonist in the gracilis muscle of anaesthetised dogs (68) 14
Matsuo, K., see Won, M.H. (68) 171
McCloskey, D.I., see Mahns, D.A. (68) 14
Morita, H., see Sugimoto, I. (68) 164
Murakami, H., see Sugimoto, I. (68) 164

Nakamura, K., see Terazaki, H. (68) 101
Nakamura, M., see Terazaki, H. (68) 101
Nichols, K., see Krantis, A. (68) 33
Nishida, Y., see Sugimoto, I. (68) 164
Novotny, G.E.K., see Stevens, M.F. (68) 125

Obayashi, K., see Terazaki, H. (68) 101
Oh, Y.S., see Won, M.H. (68) 171

Okada, K., see Sugimoto, I. (68) 164
Okada, M., see Sugimoto, I. (68) 164
O'Leary, D.S., see Scislo, T.J. (68) 145

Parkington, H.C., see Holman, M.E. (68) 140
Paton, J.F.R. and Butcher, J.W.
Cardiorespiratory reflexes in mice (68) 115
Potter, E.K., see Mahns, D.A. (68) 14

Revington, M.L., see Mahns, D.A. (68) 14
Ricksten, S.-E., see Thorén, A. (68) 157
Runcie, M.J., see Mahns, D.A. (68) 14

Schmid, A., Huonker, M., Stahl, F., Barturen, J.-M., König, D., Heim, M., Lehmann, M. and Keul, J.
Free plasma catecholamines in spinal cord injured persons with different injury levels at rest and during exercise (68) 96
Scislo, T.J. and O'Leary, D.S.
Activation of A_{2a} adenosine receptors in the nucleus tractus solitarius inhibits renal but not lumbar sympathetic nerve activity (68) 145
Seki, K., Zhou, D.-S. and Komuro, T.
Immunohistochemical study of the c-*kit* expressing cells and connexin 43 in the guinea-pig digestive tract (68) 182
Sjögren, C., see Tobin, G. (68) 153
Smith, J.E. and Gilbey, M.P.
Segmental origin of sympathetic preganglionic neurones regulating the tail circulation in the rat (68) 109
Stahl, F., see Schmid, A. (68) 96
Staines, W., see Krantis, A. (68) 33
Stevens, M.F., Novotny, G.E.K. and Lipfert, P.
Inactivation of baroafferents leads to loss of barosensitivity without changes in nerve morphology (68) 125
Suga, M., see Terazaki, H. (68) 101
Sugimoto, I., Okada, K., Murakami, H., Nishida, Y., Kosaka, H., Morita, H. and Okada, M.
The gain of the hepatorenal reflex in anesthetized dogs (68) 164

Takahashi, N., see Imoto, A. (68) 1
Taylor, J.L., see Macefield, V.G. (68) 49
Terazaki, H., Ando, Y., Yamashita, T., Obayashi, K., Nakamura, K., Nakamura, M., Yoshimatsu, S.-i., Suga, M., Uchino, M. and Ando, M.
Visceral orthostatic hypotension in patients with severe autonomic dysfunction (68) 101
Thorén, A., Ricksten, S.-E., Lundin, S., Gazelius, B. and Elam, M.
Baroreceptor-mediated reduction of jejunal mucosal perfusion, evaluated with endoluminal laser Doppler flowmetry in conscious humans (68) 157
Tobin, G. and Sjögren, C.
Prejunctional facilitatory and inhibitory modulation of parasympathetic nerve transmission in the rabbit urinary bladder (68) 153
Tonta, M.A., see Holman, M.E. (68) 140

Uchino, M., see Terazaki, H. (68) 101

Wallin, B.G., see Macefield, V.G. (68) 49
Won, M.H., Matsuo, K., Oh, Y.S. and Kitoh, J.
Brainstem topology of the vagal motoneurons projecting to the esophagus and stomach in the house musk shrew, *Suncus murinus* (68) 171

Yahagi, N., Akiyama, T. and Yamazaki, T.
Effects of ω-conotoxin GVIA on cardiac sympathetic nerve function (68) 43
Yamashita, T., see Terazaki, H. (68) 101
Yamazaki, T., see Yahagi, N. (68) 43
Yoshida, M., see Imoto, A. (68) 1
Yoshimatsu, S.-i., see Terazaki, H. (68) 101

Zhou, D.-S., see Seki, K. (68) 182

ELSEVIER

Journal of the Autonomic Nervous System 68 (1998) 190–193

Journal of the Autonomic Nervous System

Subject Index

Acetylcholine release; Rabbit urinary bladder; Prejunctional receptors; Contraction; Muscarinic receptor subtypes; α_2-Adrenoceptors **68**, 153

Adrenal medulla; Chromaffin cells; Muscarinic receptors; M-like K^+ current; Splanchnic nerve stimulation; Guinea-pig **68**, 140

α_2-Adrenoceptors; Rabbit urinary bladder; Prejunctional receptors; Acetylcholine release; Contraction; Muscarinic receptor subtypes **68**, 153

Airway; NANC relaxation; Smooth muscle; cAMP; cGMP; $[Ca^{2+}]_i$ **68**, 1

Ambiguous nucleus (AN); Esophagus; Stomach; Retrograde tracing; Dorsal motor nucleus of vagus nerve (DMX); Viscerotropic organization; *Suncus murinus* **68**, 171

A_{2a} purinoceptor; Brainstem; Renal sympathetic nerve; Lumbar sympathetic nerve; CGS 21680 **68**, 145

Autonomic dysfunction; Familial amyloidotic polyneuropathy; Orthostatic hypotension; Doppler ultrasonography; Portal vein **68**, 101

A–V nodal block; Coronary artery pressure; Coronary vascular resistance; Vasoactive intestinal peptide; Noncholinergic nonadrenergic nerve stimulation; Mongrel dog **68**, 78

Baroreceptor, resetting, compound action potential; Carotid sinus nerve; Electron microscopy; Rabbit **68**, 125

Baroreceptors; Peripheral chemoreceptors; Pulmonary vagal C fibres; Cardiac receptors **68**, 115

Brainstem; A_{2a} purinoceptor; Renal sympathetic nerve; Lumbar sympathetic nerve; CGS 21680 **68**, 145

Brainstem neurons; Rhythmic activity; Respiratory rhythm; Cardiovascular rhythms; Common brainstem system; Dynamic coordination **68**, 58

$[Ca^{2+}]_i$; NANC relaxation; Airway; Smooth muscle; cAMP; cGMP **68**, 1

Calcium channel; Noradrenaline release; Microdialysis; Cat **68**, 43

cAMP; NANC relaxation; Airway; Smooth muscle; cGMP; $[Ca^{2+}]_i$ **68**, 1

Cardiac receptors; Baroreceptors; Peripheral chemoreceptors; Pulmonary vagal C fibres **68**, 115

Cardiovascular rhythms; Rhythmic activity; Respiratory rhythm; Brainstem neurons; Common brainstem system; Dynamic coordination **68**, 58

Carotid sinus nerve; Baroreceptor, resetting, compound action potential; Electron microscopy; Rabbit **68**, 125

Cat; Calcium channel; Noradrenaline release; Microdialysis **68**, 43

cGMP; NANC relaxation; Airway; Smooth muscle; cAMP; $[Ca^{2+}]_i$ **68**, 1

CGS 21680; A_{2a} purinoceptor; Brainstem; Renal sympathetic nerve; Lumbar sympathetic nerve **68**, 145

Cholinergic vasodilatation; NPY; NPY Y_2 agonist; Sympathetic vasoconstriction **68**, 14

Chromaffin cells; Adrenal medulla; Muscarinic receptors; M-like K^+ current; Splanchnic nerve stimulation; Guinea-pig (68) 140

Chronotropic; Parasympathetic; Laryngeal; Gastric; Retrograde labelling; HRP; Primate **68**, 21

Common brainstem system; Rhythmic activity; Respiratory rhythm; Cardiovascular rhythms; Brainstem neurons; Dynamic coordination **68**, 58

Contraction; Rabbit urinary bladder; Prejunctional receptors; Acetylcholine release; Muscarinic receptor subtypes; α_2-Adrenoceptors **68**, 153

Coronary artery pressure; Coronary vascular resistance; Vasoactive intestinal peptide; Noncholinergic nonadrenergic nerve stimulation; A–V nodal block; Mongrel dog **68**, 78

Coronary vascular resistance; Coronary artery pressure; Vasoactive intestinal peptide; Noncholinergic nonadrenergic nerve stimulation; A–V nodal block; Mongrel dog **68**, 78

Cortex; Microneurography; Muscle sympathetic nerve activity; Skin sympathetic nerve activity **68**, 49

Dopamine; Epinephrine; Norepinephrine; Tetraplegics; Paraplegics; Rest; Exercise **68**, 96

Doppler ultrasonography; Familial amyloidotic polyneuropathy; Orthostatic hypotension; Autonomic dysfunction; Portal vein **68**, 101

Dorsal motor nucleus of vagus nerve (DMX); Esophagus; Stomach; Retrograde tracing; Ambiguous nucleus (AN); Viscerotropic organization; *Suncus murinus* **68**, 171

Dynamic coordination; Rhythmic activity; Respiratory rhythm; Cardiovascular rhythms; Brainstem neurons; Common brainstem system **68**, 58

Electron microscopy; Carotid sinus nerve; Baroreceptor, resetting, compound action potential; Rabbit **68**, 125

Enkephalin; GABAergic; Nitric oxide (NO); NO synthase; Somatostatin; GABA-transaminase (GABA-T) human colon; Immunohistochemistry; NADPH-diaphorase **68**, 33

Epinephrine; Norepinephrine; Dopamine; Tetraplegics; Paraplegics; Rest; Exercise **68**, 96

Esophagus; Stomach; Retrograde tracing; Dorsal motor nucleus of vagus nerve (DMX); Ambiguous nucleus (AN); Viscerotropic organization; *Suncus murinus* **68**, 171

Exercise; Epinephrine; Norepinephrine; Dopamine; Tetraplegics; Paraplegics; Rest **68**, 96

Familial amyloidotic polyneuropathy; Orthostatic hypotension; Doppler ultrasonography; Autonomic dysfunction; Portal vein **68**, 101

Fentanyl; Sedation; High frequency jet ventilation; Respiratory sinus arrhythmia; Vecuronium **68**, 89

GABAergic; Nitric oxide (NO); NO synthase; Somatostatin; Enkephalin; GABA-transaminase (GABA-T) human colon; Immunohistochemistry; NADPH-diaphorase **68**, 33

GABA-transaminase (GABA-T) human colon; GABAergic; Nitric oxide (NO); NO synthase; Somatostatin; Enkephalin; Immunohistochemistry; NADPH-diaphorase **68**, 33

Gap junction; Pacemaker; Interstitial cells of Cajal; Intestine; Guinea-pig **68**, 182

Gastric; Parasympathetic; Chronotropic; Laryngeal; Retrograde labelling; HRP; Primate **68**, 21

Guinea-pig; Chromaffin cells; Adrenal medulla; Muscarinic receptors; M-like K^+ current; Splanchnic nerve stimulation **68**, 140

Hepatic sodium receptors; Hepatorenal reflex; Reflex gain; Renal nerve activity; Hypertonic solution; Natriuresis; Open loop; Plasma sodium concentration **68**, 164

Hepatorenal reflex; Reflex gain; Hepatic sodium receptors; Renal nerve activity; Hypertonic solution; Natriuresis; Open loop; Plasma sodium concentration **68**, 164

High frequency jet ventilation; Sedation; Fentanyl; Respiratory sinus arrhythmia; Vecuronium **68**, 89

HRP; Parasympathetic; Chronotropic; Laryngeal; Gastric; Retrograde labelling; Primate **68**, 21

Hypertonic solution; Hepatorenal reflex; Reflex gain; Hepatic sodium receptors; Renal nerve activity; Natriuresis; Open loop; Plasma sodium concentration **68**, 164

Immunohistochemistry; GABAergic; Nitric oxide (NO); NO synthase; Somatostatin; Enkephalin; GABA-transaminase (GABA-T) human colon; NADPH-diaphorase **68**, 33

Interstitial cells of Cajal; Gap junction; Pacemaker; Intestine; Guinea-pig **68**, 182

Intestine; Gap junction; Pacemaker; Interstitial cells of Cajal; Guinea-pig **68**, 182

Jejunal mucosal vasoconstriction; Laser Doppler flowmetry; Lower body negative pressure; Sympathetic reflex; Vasomotion **68**, 157

Laryngeal; Parasympathetic; Chronotropic; Gastric; Retrograde labelling; HRP; Primate **68**, 21

Laser Doppler flowmetry; Jejunal mucosal vasoconstriction; Lower body negative pressure; Sympathetic reflex; Vasomotion **68**, 157

Lower body negative pressure; Jejunal mucosal vasoconstriction; Laser Doppler flowmetry; Sympathetic reflex; Vasomotion **68**, 157

Lumbar sympathetic nerve; A_{2a} purinoceptor; Brainstem; Renal sympathetic nerve; CGS 21680 **68**, 145

Lung inflation; Muscle sympathetic nerve activity; Microneurography; Respiration; Skin sympathetic nerve activity **68**, 135

M-like K^+ current; Chromaffin cells; Adrenal medulla; Muscarinic receptors; Splanchnic nerve stimulation; Guinea-pig **68**, 140

Microdialysis; Calcium channel; Noradrenaline release; Cat **68**, 43

Microneurography; Cortex; Muscle sympathetic nerve activity; Skin sympathetic nerve activity **68**, 49

Mongrel dog; Coronary artery pressure; Coronary vascular resistance; Vasoactive intestinal peptide; Noncholinergic nonadrenergic nerve stimulation; A–V nodal block **68**, 78

Muscarinic receptors; Chromaffin cells; Adrenal medulla; M-like K^+ current; Splanchnic nerve stimulation; Guinea-pig **68**, 140

Muscarinic receptor subtypes; Rabbit urinary bladder; Prejunctional receptors; Acetylcholine release; Contraction; α_2-Adrenoceptors **68**, 153

Muscle sympathetic nerve activity; Cortex; Microneurography; Skin sympathetic nerve activity **68**, 49

NADPH-diaphorase; GABAergic; Nitric oxide (NO); NO synthase; Somatostatin; Enkephalin; GABA-transaminase (GABA-T) human colon; Immunohistochemistry **68**, 33

NANC relaxation; Airway; Smooth muscle; cAMP; cGMP; $[Ca^{2+}]_i$ **68**, 1

Natriuresis; Hepatorenal reflex; Reflex gain; Hepatic sodium receptors; Renal nerve activity; Hypertonic solution; Open loop; Plasma sodium concentration **68**, 164

Nitric oxide (NO); GABAergic; NO synthase; Somatostatin; Enkephalin; GABA-transaminase (GABA-T) human colon; Immunohistochemistry; NADPH-diaphorase **68**, 33

Noncholinergic nonadrenergic nerve stimulation; Coronary artery pressure; Coronary vascular resistance; Vasoactive intestinal peptide; A–V nodal block; Mongrel dog **68**, 78

Noradrenaline release; Calcium channel; Microdialysis; Cat **68**, 43

Norepinephrine; Epinephrine; Dopamine; Tetraplegics; Paraplegics; Rest; Exercise **68**, 96

NO synthase; GABAergic; Nitric oxide (NO); Somatostatin; Enkephalin; GABA-transaminase (GABA-T) human colon; Immunohistochemistry; NADPH-diaphorase **68**, 33); **NPY;** NPY Y_2 agonist; Sympathetic vasoconstriction; Cholinergic vasodilatation **68**, 14

NPY Y_2 agonist; NPY; Sympathetic vasoconstriction; Cholinergic vasodilatation **68**, 14

Open loop; Hepatorenal reflex; Reflex gain; Hepatic sodium receptors; Renal nerve activity; Hypertonic solution; Natriuresis; Plasma sodium concentration **68**, 164

Orthostatic hypotension; Familial amyloidotic polyneuropathy; Doppler ultrasonography; Autonomic dysfunction; Portal vein **68**, 101

Pacemaker; Gap junction; Interstitial cells of Cajal; Intestine; Guinea-pig **68**, 182

Paraplegics; Epinephrine; Norepinephrine; Dopamine; Tetraplegics; Rest; Exercise **68**, 96

Parasympathetic; Chronotropic; Laryngeal; Gastric; Retrograde labelling; HRP; Primate **68**, 21

Peripheral chemoreceptors; Baroreceptors; Pulmonary vagal C fibres; Cardiac receptors **68**, 115

Plasma sodium concentration; Hepatorenal reflex; Reflex gain; Hepatic sodium receptors; Renal nerve activity; Hypertonic solution; Natriuresis; Open loop **68**, 164

Portal vein; Familial amyloidotic polyneuropathy; Orthostatic hypotension; Doppler ultrasonography; Autonomic dysfunction **68**, 101

Prejunctional receptors; Rabbit urinary bladder; Acetylcholine release; Contraction; Muscarinic receptor subtypes; α_2-Adrenoceptors **68**, 153

Primate; Parasympathetic; Chronotropic; Laryngeal; Gastric; Retrograde labelling; HRP **68**, 21

Pulmonary vagal C fibres; Baroreceptors; Peripheral chemoreceptors; Cardiac receptors **68**, 115

Rabbit; Carotid sinus nerve; Baroreceptor, resetting, compound action potential; Electron microscopy **68**, 125

Rabbit urinary bladder; Prejunctional receptors; Acetylcholine release; Contraction; Muscarinic receptor subtypes; α_2-Adrenoceptors **68**, 153

Rat; Sympathetic preganglionic neurone; Tail; Ventral collector nerve; Sympathetic postganglionic neurones **68**, 109

Reflex gain; Hepatorenal reflex; Hepatic sodium receptors; Renal nerve activity; Hypertonic solution; Natriuresis; Open loop; Plasma sodium concentration **68**, 164

Renal nerve activity; Hepatorenal reflex; Reflex gain; Hepatic sodium receptors; Hypertonic solution; Natriuresis; Open loop; Plasma sodium concentration **68**, 164

Renal sympathetic nerve; A_{2a} purinoceptor; Brainstem; Lumbar sympathetic nerve; CGS 21680 **68**, 145

Respiration; Lung inflation; Muscle sympathetic nerve activity; Microneurography; Skin sympathetic nerve activity **68**, 135

Respiratory rhythm; Rhythmic activity; Cardiovascular rhythms; Brainstem neurons; Common brainstem system; Dynamic coordination **68**, 58

Respiratory sinus arrhythmia; Sedation; Fentanyl; High frequency jet ventilation; Vecuronium **68**, 89

Rest; Epinephrine; Norepinephrine; Dopamine; Tetraplegics; Paraplegics; Exercise **68**, 96

Retrograde labelling; Parasympathetic; Chronotropic; Laryngeal; Gastric; HRP; Primate **68**, 21

Retrograde tracing; Esophagus; Stomach; Dorsal motor nucleus of vagus nerve (DMX); Ambiguous nucleus (AN); Viscerotropic organization; *Suncus murinus* **68**, 171

Rhythmic activity; Respiratory rhythm; Cardiovascular rhythms; Brainstem neurons; Common brainstem system; Dynamic coordination **68**, 58

Sedation; Fentanyl; High frequency jet ventilation; Respiratory sinus arrhythmia; Vecuronium **68**, 89

Skin sympathetic nerve activity; Cortex; Microneurography; Muscle sympathetic nerve activity **68**, 49

Smooth muscle; NANC relaxation; Airway; cAMP; cGMP; $[Ca^{2+}]_i$ **68**, 1

Somatostatin; GABAergic; Nitric oxide (NO); NO synthase; Enkephalin; GABA-transaminase (GABA-T) human colon; Immunohistochemistry; NADPH-diaphorase **68**, 33

Splanchnic nerve stimulation; Chromaffin cells; Adrenal medulla; Muscarinic receptors; M-like K^+ current; Guinea-pig **68**, 140

Stomach; Esophagus; Retrograde tracing; Dorsal motor nucleus of vagus nerve (DMX); Ambiguous nucleus (AN); Viscerotropic organization; *Suncus murinus* **68**, 171

***Suncus murinus*;** Esophagus; Stomach; Retrograde tracing; Dorsal motor nucleus of vagus nerve (DMX); Ambiguous nucleus (AN); Viscerotropic organization **68**, 171

Sympathetic postganglionic neurones; Sympathetic preganglionic neurone; Tail; Rat; Ventral collector nerve **68**, 109

Sympathetic preganglionic neurone; Tail; Rat; Ventral collector nerve; Sympathetic postganglionic neurones **68**, 109

Sympathetic reflex; Jejunal mucosal vasoconstriction; Laser Doppler flowmetry; Lower body negative pressure; Vasomotion **68**, 157

Sympathetic vasoconstriction; NPY; NPY Y_2 agonist; Cholinergic vasodilatation **68**, 14

Tail; Sympathetic preganglionic neurone; Rat; Ventral collector nerve; Sympathetic postganglionic neurones **68**, 109

Tetraplegics; Epinephrine; Norepinephrine; Dopamine; Paraplegics; Rest; Exercise **68**, 96

Vasoactive intestinal peptide; Coronary artery pressure; Coronary vascular resistance; Noncholinergic nonadrenergic nerve stimulation; A–V nodal block; Mongrel dog **68**, 78

Vasomotion; Jejunal mucosal vasoconstriction; Laser Doppler flowmetry; Lower body negative pressure; Sympathetic reflex **68**, 157

Vecuronium; Sedation; Fentanyl; High frequency jet ventilation; Respiratory sinus arrhythmia **68**, 89

Ventral collector nerve; Sympathetic preganglionic neurone; Tail; Rat; Sympathetic postganglionic neurones **68**, 109

Viscerotropic organization; Esophagus; Stomach; Retrograde tracing; Dorsal motor nucleus of vagus nerve (DMX); Ambiguous nucleus (AN); *Suncus murinus* **68**, 171